

01.07.2020

MINIMUM SAFETY REQUIREMENTS FOR CHEMICAL TANKERS IN TERMINAL

With regard to facility safety and due to the relevant regulations, road tankers without the below specified qualifications and with physical qualities not convenient transport unit and their drivers will not accept to be loaded or unloaded operations in our port.

The rules and practices determined for the vehicles and drivers which are coming to the port for loading / unloading operations are as follows below:

The following equipment shall be carried on board the transport unit:



A wheel Chock of a size suited to the maximum mass of the vehicle and to the diameter of the wheel



Two self -standing warning signs



Eye rinsing liquid



ATEX approved a shovel

Poliport Kimya Sanayi ve Ticaret AŞ

Dilovası Organize Sanayi Bölgesi 1. Kısım Liman Cad. No: 7 Dilovası/KOCAELİ **T:** +90 262 679 71 00 • **F:** +90 262 754 74 34

www.poliport.com

Uluçinar VD: 484 008 7772 Ticaret Sicil No: 1033





A drain seal



A collecting container



Min. 1x2 kg capacity of fire extinguisher suitable for engine or cab fire and min 2x 6 kg capacity fire extinguisher for cargo fire. Fire extinguishers will be change with transport unit maximum permissible mass, these are compliance with Part 7, EN 3-7:2004+A1:2007 standard.



Dangerous goods signs and labels.



First-Aid Kit

Poliport Kimya Sanayi ve Ticaret AŞ

Genel Müdürlük • Headquarters

Dilovası Organize Sanayi Bölgesi 1. Kısım Liman Cad. No: 7 Dilovası/KOCAELİ **T:** +90 262 679 71 00 • **F:** +90 262 754 74 34

www.poliport.com

Uluçınar VD: 484 008 7772 Ticaret Sicil No: 1033



For each member of the vehicle crew,



The portable lighting apparatus used shall not exhibit any metal surface liable to produce sparks.



A warning vest is compliance with EN ISO 20471 standard.



Chemical Googles (protective glasses) must have the CE Certificate and be in compliance with EN166:2001 standards



Chemical resistant protective gloves must have the CE certificate and be in compliance with EN 166:2001 standards



Safety boots must have the CE certificate and be in compliance with EN 388/ EN 374 standards

Poliport Kimya Sanayi ve Ticaret AŞ

Dilovası Organize Sanayi Bölgesi 1. Kısım Liman Cad. No: 7 Dilovası/KOCAELİ

T: +90 262 679 71 00 • F: +90 262 754 74 34

www.poliport.com

Uluçınar VD: 484 008 7772 Ticaret Sicil No: 1033





The safety helmet must have CE Certificate and must have plastic narrow edges within the standards of EN 397, with no crack or broken parts.



Safety harness must have CE certificate and in compliance with EN 361:2002 / EN 358: 2009 standards and well-adjusted to the driver and meetings the requirements of its certificate.



Face masks with CE Certificate and in compliance with EN136 / EN 140 standards and filters in compliance with EN 141 / EN 143 standards.



Work Uniform or Overall should be with CE certificate and in compliance with EN464/ EN465 /EN467 standards, in one piece and seam-free. The wear should protect user against chemical material flows and splashing.

Poliport Kimya Sanayi ve Ticaret AŞ

Dilovası Organize Sanayi Bölgesi 1. Kısım Liman Cad. No: 7 Dilovası/KOCAELİ

T: +90 262 679 71 00 • F: +90 262 754 74 34

www.poliport.com

Uluçınar VD: 484 008 7772 Ticaret Sicil No: 1033